


數位扭力顯示器 *Digital Torque Adapter*

不僅可成為
數位扭力扳手
it can be an e-wrench



更可變成
校正器使用



- 峰值保持(K)與扭力追隨(F)模式 (可訂製特殊K模式)
- 省電模式：2分鐘自動關機 (可訂製不關機模式)
- 記錄使用次數、歷史最大扭力
- 四種扭力單位，可供選擇切換：N-m, kgf-cm, lbf-in, lbf-ft
- 蜂鳴聲、LED燈警示(到達預設扭力值80%時)
※不得用於電動扳手或氣動扳手※
- Two modes : F(Track) / K(Peak)
- Automatically powers off when not in use for 2 minutes
(The non-shutdown mode can be customized)
- Recording usage frequency and the historical maximum torque
- 4 units change: N-m, kgf-cm, lbf-in, lbf-ft
- Warning function : Beep, LED indicator
(When reach the torque setting value 80%)
※Not for air wrench and electric wrench.※

WS-A340-3



- 數位扭力轉接頭·接上一般或機械式棘輪扳手·即成為數位扭力扳手
- 鎖固時·可量測旋轉多少角度的功能
- 配件：收納用鐵製工具箱x1, 出廠校驗報告(符合ISO品質認證規範)x1, 說明書(中/英)x1, AAA電池x2, L型六角扳手(更換電池用)x1
- To connect any traditional ratchet wrench or hand socket wrench, it can be digital torque wrench.
- Can measurement the degree after tighten the screw or nut.
- Content : Storage steel box x1, Certificate of calibration report (Using ISO specification) x1, User guide (Bilingual) x1, L-type hex key wrench (replace the battery) x1

SPECIFICATIONS:

※Unit Conversion : 1 Nm = 10.2 kgf-cm = 0.738 lbf-ft = 8.851 lbf-in

產品編號 Item No.	精度 Accuracy	方頭 Drive	方凹頭 Drive Hole	顯示及設定範圍 Setting Range	建議使用範圍 Suggested Range	解析度 Resolution	顯示器尺寸 Size(mm) (L x W x H)	顯示器重量 Weight(g)
WS-A135-2	CW:±1.5% CCW:±2.5%	3/8"	3/8"	6.8~135 Nm / 0.1°~360°	20~135 Nm	0.1 Nm / 0.1°	75 x 50 x 39	210
WS-A200-3		1/2"	1/2"	10~200 Nm / 0.1°~360°	30~200 Nm			
WS-A340-3				17~340 Nm / 0.1°~360°	50~340 Nm			

註：精度的扭力範圍在最大操作值的20%~100%

Notes: Accuracy guaranteed at 20% to 100% of full scale.